

# T/PUMP® LOCALIZED THERAPY SYSTEM




## Safe and effective localized warming and cooling therapy

The T/Pump system provides safe and effective localized warming and cooling therapy with precise temperature control. Simple and versatile, T/Pump is effective for chronic pain relief and patient comfort in orthopedic conditions, skin trauma and a number of other applications to meet the needs of an ever-changing patient population. The large, translucent reservoir and large buttons make operation simple.



The T/Pump stand provides ease of transporting to patient rooms and offers storage for pads and accessories. An IV pole mount plate is also available as a space saving solution.



Multiple temperature settings and treatment cycles allow for therapy that is customized to patient needs. Large buttons and LED indicators make operation simple and intuitive.



Extra wide leakproof cap includes a tethered strap to prevent cap loss. Simply fill with tap water for warming or tap water and ice for cooling.

- **Conveniently operates with tap water** without the need for sterile or distilled water.
- **Three-layer safety system** helps ensure safe operation.
- **T/Flash technology** provides a slight temperature change, providing patients with an “always there” feeling that the product is working.
- **Ergonomic design** with curved handle makes transport easy.
- **Audible and visible alarms** alert caregivers to low water or internal issues.
- **Large translucent reservoir** has a large capacity and allows users to determine water levels at a glance.

# T/PUMP® LOCALIZED THERAPY SYSTEM



## Standard features

- 8.5' power cord
- Hospital grade plug
- 93 oz (2750 mL) reservoir
- Large fill port (1-7/8" diameter)
- Wet or dry storage

## Optional accessories

- TPS2 temperature therapy stand with storage basket and cord hooks
- TPIV bracket to clamp to IV pole to hold T/Pump

## Optional test accessories

- TPT9 flow meter
- Test probe assembly

## Connector options

- Clik-Tite Connectors are leakproof and multiple pads can be connected to one unit for multiple therapy sites
- 600 Series Mul-T-Pad water-circulating pads offer quick disconnect colder style connectors for increased adaptability with TP700C models

## Specifications

<b>Model number</b>	TP700, TP700C*
<b>Height</b>	11.5" (29 cm)
<b>Width</b>	8" (20 cm)
<b>Depth</b>	8" (20 cm)
<b>Weight</b>	
Full (filled to heating water line)	9.3 lbs (4.2 kg)
Empty	6.7 lbs (3 kg)
<b>Temperature range</b>	10 °C-42 °C (50 °F-107 °F)
Accuracy	±2 °F (1 °C)
<b>Fluid system</b>	9 gph flow rate min.

## Electronics

**Volts** 8.120 VAC, 3.1 amps, 60 Hz, 20µ A typical leakage current

**Safety** UL approved to UL60601-1 and ASTM F2196

## Warranty

1 year

Medicare reimbursement  
HCPC E0217

## Mul-T-Pads

### Lightweight, single patient use with Clik-Tite connectors

Mul-T-Pads	Part number	Dimensions
Pliable polymer/nonwoven fabric on one side	8002-062-012	13" x 18" (33 x 46 cm)
Pliable polymer/nonwoven fabric on one side	8002-062-022	15" x 22" (38 x 56 cm)
Pliable polymer/non woven fabric on one side	8002-062-026	18" x 26" (46 x 66 cm)

### Reusable with Clik-Tite connectors

Heavy duty pliable polymer	8002-062-222	15" x 22" (38 x 56 cm)
----------------------------	--------------	------------------------

### 600 series, single patient use with colder style connectors

Polymer/nonwoven fabric on both sides	8002-062-612	13" x 18" (33 x 46 cm)
Polymer/nonwoven fabric on both sides	8002-062-622	15" x 22" (38 x 56 cm)
Polymer/nonwoven fabric on both sides	8002-062-626	18" x 26" (46 x 66 cm)

DOC-757-Rev 1

Copyright® 2021 C2Dx  
Printed in U.S.A.

555 East Eliza St, Ste. A  
Schoolcraft, MI 49087 USA  
t: 888 902 2239

[www.c2dxinc.com](http://www.c2dxinc.com)



Scan for use video

C2Dx® reserves the right to change specifications without notice.

\*TP700 have Clik-Tite Connectors. TP700C have Colder Style Connectors.

C2Dx or its other corporate affiliated entities own, use or have applied for the following trademarks or service marks: Multi-T-Pad, T/Pump®, C2Dx. All other trademarks are trademarks of their respective owners or holder.